By All-Time Manufacturing Co. Inc.
www.alltimemfg.com























Stainless Steel Components for Railings, Fences, Canopies and more!







SUPER VIEW

Easy Stainless Steel Cable Systems By All-Time Manufacturing Co. Inc.

Add a touch of class, make a statement, or preserve your beautiful view with our architectural grade Ferro Moderno Italiano system by All-Time Manufacturing.

Using our wide array of modular stainless steel components makes it easy to be creative and assemble stainless steel railings, handrails, barriers, awnings, curtain rods and more in a timely fashion. Use your infill of choice including bars, glass, cable/wire rope and more. No welding or labor intensive fabrication is required due to the ease of the modular connections, and almost any design can be achieved. This allows a whole new world of stainless steel design and style choices and assemblies to be realized in many different fields.

Using Italian Design and American Ingenuity the Ferro Moderno Italiano system has risen above the rest in offering practical and aesthetically pleasing solutions for your projects. Interior and Exterior grades of stainless steel are available in multiple finishes.

If you are looking for a low visibility barrier or something to complement your scenic view then look no further. Super View easy cable systems can be used in conjunction with our stainless steel posts and we even offer pre-fabricated posts ready for assembly. Super View is fully made in USA and has a range of easy cable fittings and accessories. You will also see various types of bars available for infill and we can offer glass as well for certain projects. A limited group of the components are also available in galvanized steel which can be painted your choice of color or left unfinished for an industrial look.

All-Time Manufacturing Co. Inc. is proud to offer these high quality and inspiring products to a constantly growing and improving building industry clientele. We are happy to help you in your design choices and maintain a flexibility and determination to please that is unmatched.

Thank you for your interest and we look forward to helping you achieve your stainless steel design dreams!







Table of Contents	
Stainless Steel Tube/Handrail & Bars	1
Stainless Steel Handrail Supports (Post Insert)	1,3,4,8
Stainless Steel Handrail Supports (Wall/Post Insert)	2,3,4,7
Stainless Steel Tube Handrail Components	4,5,6,8
Stainless Steel/Wood Handrail & Components	7
Stainless Steel Square Components	8
Stainless Steel Posts & Post Components	9-11
Stainless Steel Glass Cap Rail & Components	11
Aluminum/Stainless Steel Glass Base Shoe System	11
Stainless Steel & Steel Glass Clamps (Post/Wall Mount)	12
Stainless Steel Glass Clamps & Glass Handrail Supports (Floor/Wall Mount)	13
Stainless Steel Round Bar Components	14
Stainless Steel Traditional Cable System	15
Stainless Steel Super View Easy Cable System	16
Stainless Steel Cable Railing Spec Drawing Assemblies	17
Measurements are shown in Inches (") and Millimeters (mm)	




Round Tube



B101, M101 Round 1.33"dia, 1.5"dia, 1.67"dia, 2"dia outside L = 9'10", 19'8", 20' 0.079" wall standard

Handrail Support (post)



B201, M201 A = 1.67"dia, 2"dia H = 2"

Round Solid Bar



Round 0.375"dia, 0.5"dia, 0.5625" dia outside L = 9'10", 19'8", 20'

Adj. Handrail Support

(post)

B202

H = 2"

A = 1.67"dia

B102, M102

B = Brushed Finish M = Mirror Polished Finish Ex/ B101 = Brushed Finish Round Tube

Round Hollow Bar



B103 Round 0.5" dia outside L = 9'10", 19'8" 0.062" wall standard






B104 Sq. 1.57" outside L = 9'10'', 19'8'', 8.2', 16.4'0.079" wall standard



B105 Rect. Tube 2.36"w x 0.78"h outside L= 8.2',16.4'


*New

Adj. Handrail support (post)




B203 A = 1.33", 1.67"dia H = 3.49"Removable Saddle

Handrail support (post)



B204 A = 1.33", 1.67"dia H = 3.49"Removable Saddle

Adj. Handrail support (post)




B205, M205 A = 1.67"dia H = 2.36"

Handrail Support (post)




B206, M206 (flat saddle coming soon) A = 1.67"dia B = 0.75"dia

Adj. Handrail support (post)



B207, M207 (flat saddle coming soon) A = 1.67"dia B = 0.75"dia

Adj. Handrail Support (post)



B208, M208 A = 1.33"dia, 1.5"dia, 1.67"dia, 2"dia H = 2.95"Removable Saddle

Handrail Support (post)



B209, M209 A = 1.33"dia, 1.5"dia, 1.67"dia, 2"dia H = 2.95"Removable Saddle

andrail support (post) thru



B210 A = 1.67"dia, 1.5"dia

Handrail Support (post) w/Adj. Height



B211, B211F (Shorter version, flat saddle) Fits 1.67"dia

Adj. Handrail Support (post) w/Adj. Height







B212 Fits 1.67" dia


Adj. Handrail support (wall)



B213, M213

Fits 1.33" - 1.67"dia Removable Saddle

Handrail support (wall) w/screw cover



B215

Fits 1.33" - 1.67"dia

Removable Saddle

Swivel Handrail support "hidden" No Backplate (wall/post) Round or Flat




B217

Fits 1.67" dia tube

Removable Saddle

Handrail Support (wall)



B214, M214

Fits 1.33" – 1.67"dia Removable Saddle

Handrail support (wall)



B216, M216


Fits 1.33" - 1.67" dia

Adj. Swivel Handrail support "hidden" No Backplate (wall/post) Round or Flat




B = Brushed Finish M = Mirror Polished Finish Custom Mirror Finish Available

Handrail support (wall/post) Round Back Standard



B219 A =1.67"dia

Adj. height handrail support (wall)



Fits 1.67" dia tube


B220

(Round Saddle Included)

Fits 1.33" - 1.67"dia

Removable Saddle


Adj. height Handrail support "hidden" No Backplate (wall/post)



B221

A = 1.33" - 1.67" dia or Flat Removable Saddle Neck 0.5", 0.5625" dia x 4.92" long

Handrail support w/screw and internal thread M6 (wall)



B222



Handrail Support (wall/flat post)



B223

For Round Tube

See additional handrail supports on page 3

33.7mm dia, 42.4mm dia





B227 H = 2.98'' / 76mmA = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Adj. Handrail Support (post)





B231 H = 2.67", 2.94" / 68mm, 74mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Adj. Handrail Support (post)





B235 H = 2.67", 2.94" / 68mm, 74mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Flanged Handrail Support





B238 A = 1.67"dia / 42.4mm dia or Flat B = 2", 2.33", 3.94"/50mm, 75mm, 100mm

Handrail Support (post)





B225 H = 4.28" / 109mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Handrail Support (post)





B228 H = 2.98" / 76mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Handrail Support (post)





H = 2.67", 2.94" / 68mm, 74mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Handrail Support (post)





Flanged Handrail Support



B239 A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia H = 2.56'' / 72mm

Handrail Support (post)





B226 H = 3.5" / 77mm33.7mm dia, 42.4mm dia

are mostly special order. There are other styles also available!

Handrail Support (post)

These styles

Adj. Handrail Support (post)





B229 H = 3.625" / 92mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Adj. Handrail Support (post)



B230

H = 3.625" / 92mm A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4mm dia

Handrail Support (post)





H = 2.67", 2.94" / 68mm, 74mm A = 1.33"dia, 1.67"dia / 33.7mm dia. 42.4mm dia



Flanged Handrail Support



B237



A = 1.33"dia, 1.67"dia, 1.875"dia, 2.375"dia / 33.7mm dia, 42.4mm dia, 48.3mm dia, 60.3mm dia B = 2.67"dia, 3.27"dia, 3.66"dia, 4.14"dia / 68mm dia, 83mm dia, 93mm dia, 105mm dia

H = 2.34", 2.64", 2.75", 2.95"/60mm, 67mm, 70mm, 75mm



A = 1.33"dia, 1.67"dia /

Tee post/rail crossover



B240 Fits 1.67"dia, 2"dia H = 0.5", 0.625"

Tee post/rail crossover



B241, M241

Fits 1.67"dia, 2"dia

Rail saddle



Fits 1.33"dia, 1.5"dia, 1.67"dia, 1.875"dia, 2"dia, 2.375"dia

Flat Rail Saddle




B243 Flat face

Rail saddle 45°



B244 Fit 1.33"dia - 1.67"dia

Rail saddle 90°



B245 Fits 1.33"dia - 1.67"dia

Wall/floor flange





B246, M246 A = 1.5", 1.67" B = 3.35" C = 1"

Adj. wall/floor flange





B247, M247 A = 1.67"dia B = 3.27"C = 2.36"

30° elbow (long)



B248 Fits 1.33"dia, 1.67"dia

90° elbow



B249 Fits 1.33"dia, 1.67"dia

180° elbow/loop



B250 Fits 1.33"dia, 1.67"dia

*45, 60, 120 deg also available

Interior connection splice (Brass)



B251 Fits 1.33"dia, 1.67"dia L = 3.95"

Corner post/rail crossover






B252 A = 1.33"dia, 1.5"dia, 1.67"dia, 2"dia B = 2"

3-way post/rail crossover






B253 A = 1.67"dia B = 3.5"

Exterior Connector Splice



B254, M254 Fits 1.5"dia, 1.67"dia, 2"dia

Tee post/rail crossover




B255, M255 A = 1.33"dia, 1.5"dia, 1.67"dia, 2"dia B = 3.44", 3", 3.94", 2.75"

4-way cross rail connector



B256 A = 1.33"dia, 1.67"dia B = 2.95", 3.44"

90° return bracket



B257, M257 A = 1.67"dia

90° return bracket



B258 A = 1.67"dia

Adj. Swivel elbow



B259, M259 Fits 1.5"dia, 1.67"dia



Adj. Swivel elbow



B260 Fits 1.67"dia

90° elbow



B261, M261 Fits 1.5"dia, 1.67"dia, 2"dia A = 2.51", 2.55", 3.06"

90° elbow



B262, M262 Fits 1.5"dia, 1.67"dia, 2"dia Sides = 2.51", 2.55", 3.06"

Adj. angle elbow 120° max



B263, M263 Fits 1.5"dia, 1.67"dia

45° elbow



B264 Fits 1.67"dia, 2"dia A = 2"

2-way adj. swivel crossover



B265 Fits 1.67" dia

90° elbow (weld)



B266 Fits 1.67"dia



Bendable Tube Connectors, Easy to Bend



B267 Fits 1.67" dia



For use with 2.36" x 0.78" Rect. Tube



B1051 End Cap



B1052 Adj. Elbow



B1053 Connector

End cap dome (insert)



Fits 1.33"dia, 1.67"dia H = 0.646", 0.75"

End Cap flat tapered (insert)



B269, M269 Fits 1.33"dia, 1.5"dia, 1.67"dia, 2"dia

End cap flat (insert)



B270, M270 Fits 1.33"dia, 1.5"dia, 1.67"dia, 2"dia

End cap flat (insert)



B271 Fits 1.67" dia

End Cap flat tapered (insert)



B272 Fits 1.67" dia

End Cap



B273 Fits 0.5"dia bar

Ball decorative cap (insert)



B274 Fits 1.67"dia, 2"dia B = 2.75"dia, 3.16"dia H = 4.17'', 4.75''

End loop decorative 90° round



B275 Fits 1.67"dia B x A = 3.125" x 2.36"

End loop decorative 90° flat



B276, M276 Fits 1.67"dia

End cap dome (insert)



B277, M277 Fits 1.67"dia, 2"dia

End cap dome (overlap)



B278 Fits 1.67"dia, 2"dia 2.125", 2.51" OD



End Cap

B279, M279 A = 1.33" dia, 1.67" dia H = 0.75"

End Cap



B280

A = 1.33"dia, 1.67"dia / 33.7mm

End Cap



B281 A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4 mm dia

End Cap





B282

A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4 mm dia B = 1.69"dia, 2.125"dia / 44mm, 54mm

End Cap

dia, 42.4 mm dia





B283 A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4 mm dia

End Cap





B284

A = 1.33"dia, 1.67"dia / 33.7mm dia, 42.4 mm dia

Raw Beech Wooden Handrail



Finished Wenge Wooden Handrail



B301 L = 6'5'', 10'Round 1.75"dia



Round 1.75"dia



Round 1.75"dia



B303 L = 6'5'', 10'

Straight Connector/splice



B304 1.78"dia x 2.75"

Tee level, Post-rail



1.78"dia x 2.71" x 1"

90° elbow rnd


B302

L = 6'5'', 10'



B306 D = 1.78"dia x 3.5" x 3.5"

90° elbow sharp



B307 D = 1.78"dia x 3.5" x 3.5"

Adj. Swivel Elbow



B308 D = 1.78"dia

Adj. Angle Elbow



B309 D = 1.78"dia

Adj. Angle Elbow



B310 D = 1.78"dia

Round End Cap



B311 D = 1.78"dia

Flat End Cap



B312 D = 1.78"

Straight Wall Bracket



B313 D = 1.75"dia x 3.75" OD

Handrail Support (wall)



B314

Handrail support (wall)



B315

Plastic Connector w/screw



B316 Screws into wood rail end, then use adhesive or epoxy to connect to steel fittings.

These stainless steel parts for use with wood are 304 grade brushed finish only standard.

Set screw included with handrail support B315. M6 nut sold separately.



Handrail Support (sq. post w/ flat rail or rnd. rail)



B401 (shorter version coming soon) H = 2.95"

A = 1.57"sq Removable Saddle Handrail = Sq./Flat std. (or rnd)

Handrail Support (sq. post w/ rnd. rail or flat rail)



B403 H = 2.95"

A = 1.57"sq Removable Saddle Handrail = 1.67"dia rnd std. (or flat)

Adj. Handrail Support (sq. post w/ flat rail or rnd. rail)



w/rnd. rail or flat rail)



B402 H = 2.95"

A = 1.57"sq Removable Saddle Handrail = Sq./Flat std. (or rnd)

Adj. Handrail Support (sq. post







B404

H = 2.95"

A = 1.57"sq Removable Saddle Handrail = 1.67"dia rnd std. (or flat)

See page 1 for Square Tube. Brushed Finish Only In Square.


90° elbow (sq)





B405 A = 1.57"sq B = 1"

Adj. angle elbow 90° max (sq.)



B406 Fits = 1.57"sq.

Tee post/rail crossover (sq)



A = 1.57"sq


B407

B = 1"



Corner post/rail crossover (sq.)





End Cap flat (sq)



B409 Fits 1.57"sq.

Exterior Connector Splice (sq.)



B410 Fits 1.57"sq.

Wall/Floor Flange (sq.)

A = 1.57"sq. B = 1"

B408



B411 Fits 1.57"sq. 3.16" sq base

Flat Bars



B416 0.59"x 0.20" x 157.5"

Flange Cover (sq.)



B412 Fits 1.61"sq Height 0.59" 4.125" sq

Sq. Flange



B413 Thickness = 0.23" 3.94" dia

Flange cover (rnd)



B414 Fits 1.61"sq Height 0.59" 4.14" dia

Rnd. Flange



B415 Thickness = 0.23" 3.94" dia

Flat Bar Holder



B417 Fits 0.59"x 0.20" bar

Round Post w/ flange



B501, M501 Post 1.33"dia, 1.5"dia, 1.67"dia, 2"dia Height = 39.375" & custom lengths 0.079" Wall or HD Wall

Round Post w/ side mount



B502, M502 Post 1.33"dia, 1.67"dia, 2"dia Height = 47.25''& custom lengths

0.079" Wall or HD Wall Posts are available cut to custom length and pre-drilled for use with cable,

Round Post w/flange & 9 round bar holders (end/line/corner)




B505, M505 H = 39.375" Y = 4" OC Post = 1.33"dia, 1.67"dia Bar = 0.375"dia, 0.5"dia

w/flange & 9 round

Round Post w/flange & 18 round bar holders (corner)



round bars, or glass components.



B506, M506 H = 39.375" Y = 4" OC Post = 1.33"dia, 1.67"dia Bar = 0.375"dia, 0.5"dia

Square Post



B503 Post 1.57"sq Height = 39.375" & custom lengths 0.079" Wall or **HD Wall**

Side Style

round bar

■ B506

Refer to B701

holder

Round Flange Cover

B500, M500

F = 1.69" hole

A = 4.14" H = 0.59"




B504 Post 1.57"sq Height = 47.25" & custom lengths 0.079" Wall or HD Wall

Available in 304 & 316 grade Square Post


w/ side mount

Round Post w/side mount & 9 round bar holders (end/line/corner)



B507, M507 H = 47.25" Y = 4" OC Post = 1.33"dia, 1.67"dia Bar = 0.375"dia, 0.5"dia

Curved Round Post w/flange & 11



Square Post

bar holders

B508 Post 1.57"sq Bar 0.5"dia 4" OC H = 39.375"

round bar holders



B509, M509 Post = 1.67" dia Bar = 0.5"dia 4" OC Z = 9.875"H = 39.375"

Curved Round Post w/flange & 11 round bar holders (6 pictured)



B510, M510 Post 1.67"dia Bar = 0.5"dia 4" OC Z = 8.25"H = 39.375''

Double Plate Post w/flange (8 internal round bar holders)



B511 Y = 4"H = 37.94", 43" **Double Plate** Post w/side mount (8 internal round bar holders)



B512 Y = 4"H = 47'', 52''



Round Post w/flange & 4 glass clamps (corner)



B515, M515 Post 1.33"dia, 1.67"dia Y = 25.1875" or custom H = 39.375"

Square Post w/flange & 2 glass clamps (end/corner, left/right)



B518 Post 1.57"sq Y = 25.1875" or custom H= 39.375"

Square Post w/flange & 4 glass clamps (line) B519

Square Post w/flange & 4 glass clamps (corner) B520

H = 39.375"

Square Post w/ side mount & 4 glass clamps (line) B521

Post Side Mount

B523, M523 Fits 1.5"dia,

1.67"dia

Square Post w/ side mount & 4 glass clamps (corner) B522 H = 47.25"

Round Post w/flange & 4 glass clamps (line)



B513, M513 Post 1.33"dia, 1.67"dia Y = 25.1875" or custom H = 39.375"





Round Post w/flange & 2 glass clamps (end/corner, left/right)



B514, M514 Post 1.33"dia, 1.67"dia H = 39.375"

Round Post w/side mount & 4 glass clamps (line)



B516, M516 Post 1.33"dia, 1.67"dia Y = 25.1875" or custom H = 47.25"

Round Post w/side mount & 2 glass clamps (end/corner, left/right)




B517, M517 Post 1.33"dia, 1.67"dia Y = 25.1875" or custom H = 47.25"

Some Examples of our Special Order Custom Posts Available













B527 Fits 1.5", 1.67", 2" dia.



B528 Fits 1.67"dia B = 1.94"

Rubber Gasket for Glass

Post Side Mount





Fits 1.33", 1.67" B = 2.44"

Post Side Mount





B530 Fits 1.33", 1.67"dia

Post Side Mount *Corner

Available in 304 & 316 grade

Glass Components

Round Glass Cap Rail





100' Rolls or Per Ft. Cap 1.67" dia, 1.875" dia Glass 0.31" - 0.94"

B602

90deg vertical elbow



B603, M603 Cap 1.67"dia, 1.875"dia

90deg horz. elbow



B604, M604 Fits 1.67"dia, 1.875"dia

B601, M601 A= 1.67"dia x 0.060" x 19'8" B = 0.94" C = 0.94" A = 1.875"dia x 0.079" x 19'8" B = 1.02" C = 1.18" *brushed only

B650 Coming Soon 2.36"w x 1.57"h

Square Glass Cap Rail

Splice for Cap Rail

B605, M605 Fit 1.67"dia, 1.875"dia

End Cap for Cap Rail



B606, M606 Fits 1.67"dia, 1.875"dia

Downward/Upward Adj. Elbows for Rnd Cap Rail



B607, B608 Fits 1.67"dia, 1.875"dia

Wall Bracket For Rnd Cap Rail



B609

SS or Alum Size 1"x1"x .06"x 9'10" or 3/4-1" x 5/8-3/4" x .08 x 16'

B610

Glass Base Shoe (Floor U)

Aluminum 10' L



Other styles & sizes available.

For use with $\frac{1}{2}$ " – $\frac{3}{4}$ " glass Height = 4.76" Width = 1.77"

U Corner (Inside)



(Outside)

U Corner



B613

U Floor **End Cap**



B614



L = 8.2' (optional front or back sides in ss304) For Floor U

B611 Slim Stainless Steel Effect or Raw Aluminum (Optional 304 grade stainless steel cladding)

U Corner Wall (Inside)

B617

B612



Wall (Outside)

B618

U Corner


End Cap

U Wall

B622 for 10' L

Gaskets & Spacer

B616 Plugs for Fascia Mounting Holes



Glass Base Shoe (Fascia/Wall)



B619

Cladding B621 (optional front side in ss304 or aluminum ss effect) For Fascia/Wall



Glass Components

Medium Rounded style (rnd/flat back)



B623, M623

Tube 1.5"dia, 1.67"dia, 2"dia, Flat face Glass 0.3125" & 0.375", 0.375" & 0.5"

Large Square style (rnd/flat back)



B626 Tube 1.67" dia, Flat Face Glass 0.375" & 0.5"

Small Round Polished Steel



(rnd back) B629 Tube 1.33"dia, 1.67"dia Glass 0.25" & 0.3125"

Small Round Gold Plated



(rnd back) B632 Tube 1.33"dia, 1.67"dia Glass 0.3125" & 0.375"

Spider Clamps



B634 Glass 0.34" to 0.5"

Available in 304 & 316 grade stainless steel, polished steel, & gold plated steel Large Rounded Style (rnd/flat back)



B624 Tube 1.67" dia, 2" dia, Flat face Glass 0.5"

Small Square Style (rnd/flat back)



B627, M627 Tube 1.67" dia, Flat Face Glass 0.3125" & 0.375"

Medium Round Polished Steel



(rnd back) B630 Tube 1.67" dia Glass 0.3125" & 0.375"

Medium Round Gold Plated



(rnd back) B633 Tube 1.67"dia Glass 0.3125" & 0.375"

B = Brushed Finish M = Mirror Polished Finish

B625, M625

Small Rounded style (rnd/flat back)

Tube 1.33"dia, 1.67"dia, Flat Face Glass 0.3125" & 0.375"

Corner style (Left) (rnd/flat back)





B628, M628 Tube 1.67"dia, 2"dia, Flat Face Glass 0.3125" & 0.375"

Large Square Polished Steel



B631 Tube 1.33"dia, 1.67"dia Glass 0.3125" & 0.375"



Ex/B101 = Brushed Finish Round Tube





Da Vinci Clamps B635, M635 Size 2.36"dia Glass 0.3125"

Floor and Wall Clamp w/ Bolt



B636 Glass 0.5" & 0.6875"

Floor and Wall clamp w/ Flange



B637 Glass 0.5" & 0.6875"



B = Brushed Finish M = Mirror Polished Finish Ex/B101 = Brushed Finish Round Tube

Floor and Wall Clamp w/ Bolt





Floor and Wall Clamp w/ Flange



B638 Glass 0.5" & 0.6875" / 12mm&17.52mm

B639 Glass 0.5" & 0.6875" / 12mm & 17.52mm

Many Styles of Glass Clamps & Brackets For Use with Railings, Fences, Barriers, Canopies & More!

Round Support complete w/ threaded screw and glass attachment





B640 Glass 0.625" to 0.875"






Chameleon Clamp B641, M641 A = 0.53" & 0.69" / 13.52mm, 17.52mm





Handrail Support (glass)



Glass 0.3125" to 1" Drill at 0.86"dia

Handrail support (glass)




B643 Glass 0.3125" to 1" Drill at 0.86"dia

Round Bar Components

Side style Round bar holder





B701, M701 A = 1.33"dia, 1.5"dia, 1.67"dia, flat face, B = 0.375"dia, 0.5"dia, 0.5625"dia,


Adj. round bar connector





B704 A = 0.5"dia, 0.5625"dia B = 0.5"dia, 0.5625"dia


Side Style round bar holder (extended)



B707 A = 1.33"dia, 1.67"dia, flat B = 0.5"dia, 0.5625"dia

Side Style Round bar holder (thru bolt)





B714

B718

Fits 0.5"dia, 0.5625"dia/

12mm dia, 14mm dia

Fits 0.5"dia, 0.56"dia /

12mm dia, 14mm dia

B711 A = 1.33"dia, 1.67"dia B = 0.41"dia

Sphere Decorative End




B713, M713 Fits 0.5"dia, 0.5625"dia




B717 Fits 0.5"dia, 0.56"dia / 12mm dia, 14mm dia

Inline style round bar holder



B702 Flat face B = 0.5"dia. 0.5625"dia

Side Style round bar holder (long)



B705 A = 1.67"dia, sq. B = 0.5"dia, 0.5625"dia

Adj. Inline style round bar holder



B708 Fits 1.67" dia, Flat face A = 0.5"dia, 0.5625"dia

Round bar elbow/Connectors



B710, M710 A = 0.5"dia, 0.56"dia

Many styles of round bar holders & decorative end caps!

Round Bars are used for Railings, Curtain Rods, & Awnings / Canopies.





B715 12mm dia, 14mm dia

Fits 0.5"dia, 0.5625"dia /



Available in 303/304 & 316 grade

Inline style round bar holder



B703, M703 Fits 1.67" dia curved back B = 0.5"dia


Inline style Round bar holder (straight - can be used at 90°)





B706 A = 1.33"dia, 1.67"dia B = 0.5"dia

Inline Angle Round bar holder



B709, M709 A = 1.33"dia, 1.67"dia B = 0.5"dia $a = 22 - 33^{\circ}$

Round Bendable Bar elbow



B712 A = 0.41"dia, 0.5"dia





B716 Fits 0.5"dia, 0.5625"dia / 12mm dia, 14mm dia





316 grade

Nominal 5/32", 3/16", 1/4" Dia Min. Brake Load 900kN, 1400kN, 2000kN Cable



316 grade

Nominal 5/32", 3/16", 1/4" Dia Min. Brake Load 850kN, 1400kN, 2000kN Whether you need tradtional cable fittings or easy cable kits, we have it all!

Threaded Terminal



Rope 3/16", 1/4" Y = 2.36", 2.75"







Domed Nut End




Right, Left Hand Thread





Y = 2.36", 2.75"





Rounded Head Screw Left, Right



Rope 3/16", 1/4"

B = 0.5", 0.5625"





A = 1.56", 1.75"

C = 0.31'', 0.34''



Inline style Cable Holder



B801 Flat Hole 0.3125"dia

Inline style Cable Holder




B802 Hole fits up to 1/4" Tube 1.67" dia

B803 Tube 1.33"dia, 1.67"dia B = 0.27"dia, 0.22"dia Rope 0.2"dia, 0.23"dia



Terminal Eye (Crimp)



Rope 3/16", 1/4"

A = 2.875", 3.47"

B = 1.875", 2.95"

Threaded Fork Stud



Right, Left Hand Thread



Terminal Fork (Crimp)



Rope 3/16", 1/4"

Adjustable Elbow End



Threaded Eye





SUPER VIEW ®


Easy Stainless Steel Cable Systems By All-Time Manufacturing Co. Inc.



Cable

1/8", 3/16"dia 304 or 316 grade MBL 2100Lb, 1780Lb, 4700Lb, 4000Lb













Various Cable Styles Available

Standard Series Studs/Tensioners

2.5", 5", 7.5" lengths for 1/8"dia 2.5" for 3/16"dia

Deluxe Tensioners 1.5", 1.8", 2", 2.5", 3.5" lengths Super View Easy Cable Systems

Thru Tensioner Ends



Standard Series (shown w/ acorn nut end cap included)




Deluxe Series (allen tension end shown)






Stainless Steel Cable Railing Spec Drawings; to help show the commonly used component assemblies:

Many other combinations and parts available. See the catalog for options. Some parts and spec drawings not shown to scale.



Round Stainless Steel Posts, Handrail Supports, Finished Beech Wood Top Rail with SS End Caps & Super View Deluxe Series Cable Kits Infill Pictured. Round Stainless Steel Posts, Handrail Supports, Top Rail & Super View Deluxe Series Cable Kits Infill Pictured.

B104




Square Stainless Steel Posts, Handrail Supports, Finished Wenge Wood Top Rail with SS End Caps & Super View Deluxe Series Cable Kits Infill Pictured.

Square Stainless Steel Posts, Handrail Supports, Top Rail & Super View Deluxe Series Cable Kits Infill Pictured.



Round Stainless Steel Posts, Handrail Supports, Raw Beech Wood Top Rail with SS End Caps & Super View Standard Series Cable Kits Infill Pictured. (Same parts as above B302 spec)



Square & Round Stainless Steel Posts, Handrail Supports, Rectangular Top Rail & Super View Deluxe Series Cable Kits Infill Pictured.

Round Stainless Steel Posts, 90 degree Elbows, Top Rail & Super View Deluxe Series Cable Kits Infill Pictured.